

**APPENDIX D****LIST OF SEED CROPS AND SCIENTIFIC NAMES****Alfalfa**

—*Medicago sativa L.* (incl. *M. sativa L. ssp. falcata (L.) Arcangeli*)

**Barley, six-row**

—*Hordeum vulgare L. convar. hexastichon Alef.*

**Barley, two-row**

—*Hordeum vulgare L. convar. distichon Alef.*

**Bean, field**

—*Phaseolus vulgaris L.*

**Bean, horse, tick and faba**

—*Vicia faba L.*

**Bean, mung**

—*Vigna radiata (L.) Wilczekver. radiata*

**Beet**

—*Beta vulgaris L.*

**Beet, sugar**

—*Beta vulgaris L. var. saccharifera Lange*

**Bentgrass, colonial (browntop)**

—*Agrostis capillaris L.* (= *A. tenuis Sibth.*)

**Bentgrass, creeping**

—*Agrostis stolonifera L.* (+ *A. palustris Hudson*)

**Bentgrass, velvet**

—*Agrostis canina L.*

**Bluegrass, annual**

—*Poa annua L.*

**Bluegrass, Canada**

—*Poa compressa L.*

**Bluegrass, fowl**

—*Poa palustris L.*

**Bluegrass, Kentucky**

—*Poa pratensis L.*

**Bluegrass, rough**

—*Poa trivialis L.*

**Bluegrass, wood**

—*Poa nemoralis L.*

**Bluestem, big**

—*Andropogon gerardii*

**Bluestem, little**

—*Schizachyrium scoparium (Michx.) Nash.*

**Bromegrass, fringed**

—*Bromus ciliatus*

**Bromegrass, meadow**

—*Bromus biebersteinii Roem. Schult.*

**Bromegrass, nodding**

—*Bromus porteri (Coul.) Nash.*

**Bromegrass, Richardson's**

—*Bromus richardsonii Link*

**Bromegrass, smooth**

—*Bromus inermis Leysser*

**Bromegrass, sweet**

—*Bromus carinatus Hook. et Am.*

**Buckwheat, common**

—*Fagopyrum esculentum Moench*

**Buckwheat, tartarian**

—*Fagopyrum tataricum (L.) Gaertner*

**Camelina**

-*Camelina sativa L.*

**Canarygrass**

—*Phalaris canariensis L.*

**Canola**

—*Brassica napus L.*

—*Brassica rapa L.*

—Canola-quality *Brassica juncea*

**Chickpea**

—*Cicer arietinum L.*

**Clover, alsike**

—*Trifolium hybridum L.*

**Clover, crimson**

—*Trifolium incarnatum L.*

**Clover, Persian**

—*Trifolium resupinatum L.*

**Clover, prairie, purple**

—*Dalea purpureum Ventenat*

**Clover, prairie, slender white**

—*Dalea candidum*

**Clover, red**

—*Trifolium pratense L.*

**Clover, subterranean**

—*Trifolium subterraneum L.*

**Clover, sweet (white blossom)**

—*Melilotus alba Medikus*

**Clover, sweet (yellow blossom)**

—*Melilotus officinalis (L.) Pallas*

**Clover, white**

—*Trifolium repens L.*

**Coriander**

—*Coriandrum L.*

**Cordgrass, prairie**

—*Spartina pectinata*

**Corn, field**

—*Zea mays L.*

**Cowpea**

—*Vigna unguiculata (L.) Walpers ssp. *unguiculata**

**Crested dogtail**

—*Cynosurus cristatus L.*

**Dill**

—*Anethum graveolens L.*

**Fenugreek**

—*Trigonella L.*

**Fescue, Chewing's**

—*Festuca rubra L. var. *commutata* Gaudin*

**Fescue, fine-leaved**

—*Festuca tenuifolia Sibth* (= *F. ovina L.*  
var. *tenuifolia* (*SiDth.*) *Dumort.*) (= *F. capillata Lam.*)

**Fescue, hard**

—*Festuca longifolia Thuill.* (= *F. ovine L.*  
var. *duriuscula auct. amer.*)

**Fescue, meadow**

—*Festuca pratensis Hudson*

**Fescue, red and creeping red**

—*Festuca rubra L. var. *rubra**

**Fescue, rough, plains**

—*Festuca hallii* (Vasey) Piper

**Fescue, sheep**

—*Festuca ovina L.*

**Fescue, tall**

—*Festuca arundinacea Schreber*

**Flax, oil**

—*Linum usitatissimum L.*

**Foxtail, creeping**

—*Alopecurus arundinaceus Poiret*

**Foxtail, meadow**

—*Alopecurus pratensis L.*

**Grama, blue**

—*Bouteloua gracilis*

**Hedysarum, American**

—*Hedysarum alpinum L.*

**Hemp (Industrial)**

—*Cannabis L.*

**Junegrass, prairie**

—*Koeleria macrantha (Lebed.) J.A. Schultes*

**Kale, forage**

—*Brassica oleracea L. var. acephala DC.*

**Lentil**

—*Lens culinaris Medikus*

**Lupine, field**

—*Lupinus spp.*

**Medick, black**

—*Medicago lupulina L.*

**Mustard, black**

—*Brassica nigra (L.) Koch*

**Mustard, Ethiopian**

—*Brassica carinata L.*

**Mustard, Oriental or Indian**

—*Brassica juncea (L.) Czern. et Coss.*

**Mustard, white (= yellow)**

—*Sinapis alba L. (= B. hirta Moench)*

**Needle and Threadgrass**

—*Hesperostipa comata*

**Needlegrass, green**

—*Nasella viridula* (formerly *Stipa viridula*)

**Oat**

—*Avena sativa L.*

**Oatgrass, hookers**

—*Helictotrichon hookeri*

**Oatgrass, tall**

—*Arrhenatherum elatius (L.) Beauv. ex J. & K. Presl.*

**Orchardgrass**

—*Dactylis glomerata L.*

**Pea, field**

—*Pisum sativum L.*

**Peanut**

—*Arachis hypogaea L.*

**Porcupinegrass**

—*Stipa Spartea Trin.*

**Radish**

—*Raphanus sativus L.*

**Rapeseed, Oilseed Rape incl. Canola**

—*Brassica rapa L.* (Polish type)

—*Brassica napus L.* (Argentine type)

**Redtop**

—*Agrostis gigantea Roth* (= *A. alba auct.*)

**Reed Canarygrass**

—*Phalaris arundinacea L.*

**Ricegrass, Indian**

—*Achnatherum hymenoides*

**Rutabaga (swede)**

—*Brassica napus L. var. napobrassica (L.)*

*Reichb.*

**Rye**

—*Secale cereale L.*

**Ryegrass, annual** (Italian and fluorescent types)

—*Lolium multiflorum Lam.*

**Ryegrass, intermediate**

—*Lolium hybridum Husskn.*

**Ryegrass, perennial**

—*Lolium perenne L.*

**Safflower**

—*Carthamus tinctorius L.*

**Sainfoin**

—*Onobrychis vicifolia Scop.*

<b>Sandreed, prairie</b>	
— <i>Calamovilfa longifolia</i> (Hook.) Scribn.	
<b>Sorghum</b>	
— <i>Sorghum bicolor</i> (L.) Moench (= <i>S. vulgare</i> Pers.), <i>S. alnum</i> Parodi	
<b>Soybean</b>	
— <i>Glycine max</i> (L.) Merrill	
<b>Sudangrass</b>	
— <i>Sorghum sudanese</i> (Piper) Stapf	
<b>Sunflower</b>	
— <i>Helianthus annuus</i> L.	
<b>Timothy, common</b>	
— <i>Phleum pratense</i> L.	
<b>Timothy, dwarf</b>	
— <i>Phleum bertolonii</i> DC. (= <i>P. Nodosum</i> auct.)	
<b>Tobacco</b> (fine-cured and burley types)	
— <i>Nicotiana tabacum</i> L.	
<b>Trefoil, bird's-foot</b>	
— <i>Lotus corniculatus</i> L.	
<b>Triticale</b>	
— <i>X Triticosecale</i> Wittmack	
<b>Vetch, crown</b>	
— <i>Coronilla varia</i> L.	
<b>Vetch, milk, cicer</b>	
— <i>Astragalus cicer</i> L.	
<b>Vetch, milk, Canadian</b>	
— <i>Astragalus canadensis</i>	
<b>Wheat, common</b>	
— <i>Triticum aestivum</i> L. amend. <i>Fiori et Paol</i>	
<b>Wheat, durum</b>	
— <i>Triticum durum</i> Desf.	
<b>Wheat, einkhorn</b>	
— <i>Triticum monococcum</i>	
<b>Wheat, emmer</b>	
— <i>Triticum dicoccum</i> Schrank	

<b>Wheat, spelt</b>	
— <i>Triticum spelta</i>	
<b>Wheatgrass, awned</b>	
— <i>Agropyron subsecundum</i>	
<b>Wheatgrass, beardless</b>	
— <i>Pseudoroegneria spicata</i>	
<b>Wheatgrass, crested, fairway</b>	
— <i>Agropyron cristatum</i> (L.) Gaertner	
<b>Wheatgrass, crested, standard</b>	
— <i>Agropyron desertorum</i> (Fischer ex Link) Schult.	
<b>Wheatgrass, intermediate</b>	
— <i>Elytrigia intermedia</i>	
<b>Wheatgrass, northern</b>	
— <i>Elymus lanceolatus</i>	
<b>Wheatgrass, pubescent</b>	
— <i>Agropyron trichophorum</i> (Link) Richter	
<b>Wheatgrass, Siberian</b>	
— <i>Agropyron sibiricum</i> (Wild.) Beauv.	
<b>Wheatgrass, slender</b>	
— <i>Elymus trachycaulus</i>	
<b>Wheatgrass, streambank</b>	
— <i>Agropyron riparium</i> Scrib. & Smith	
<b>Wheatgrass, tall</b>	
— <i>Elytrigia elongata</i>	
<b>Wheatgrass, western</b>	
— <i>Agropyron smithii</i> Rydb.	
<b>Wildrye, Altai</b>	
— <i>Elymus angustus</i> Trin.	
<b>Wildrye, hairy</b>	
— <i>Elymus innovatus</i>	
<b>Wildrye, Russian</b>	
— <i>Elymus junceus</i> Fische	